

ACUO[®]
UNION 8000

19
Since
54

ACUO UNION 8000 Have been producing water dispensers since 1954, is the first in Taiwan to acquire ISO9001 and gained numerous awards including (NSF) Our products have also garnered "Taiwan Excellence Awards".

Tel : 02 8551 0409 / 0917 811 6457 / 0917 628 1577

BJS Compound 1869 P. Domingo St., Makati City 1206

info.union8000@gmail.com

FB : ACUO UNION8000

www.acuo.com.ph

ACUO[®]
UNION 8000

PRODUCT
CATALOG



Table of Contents





1302

632



8203



DUO Faucet
COMPUTERIZED
 Fully Automatic

All Water sterilized by boiling before dispensed.

Complete User Safety Design.

Braille Code.

Large Drip Tray for easy access.
 Gridded LED Display.



Step Inlet ensures tap water is not mixed with boiled water



Customized Energy Saving "Sleep-Mode"



Nano-Sputtered Films for superior quality

In-Built Filtration System with two ACUO UF-10 Filters

Hot Tank 15L, Warm Tank 20L, Cold Tank 5L

Hot Tank 25L/hour, Cold Tank 7L/hour

Hot 2000 Watts, Cold 245 Watt (220 Volts)

W 500 mm x D 520 mm x H 1500 mm

8303



High-Tech
COMPUTERIZED
 Fully Automatic

All Water sterilized by boiling before dispensed.

Complete User Safety Design.

Water Dispense.

Braille Code.

Large Drip Tray for easy access.
 Gridded LED Display.



Step Inlet ensures tap water is not mixed with boiled water



Customized Energy Saving "Sleep-Mode"



Nano-Sputtered Films for superior quality

In-Built Filtration System with two ACUO UF-10 Filters

Hot Tank 15L, Warm Tank 10L, Cold Tank 4L

Hot Tank 45L/hour, Cold Tank 17L/hour

Hot 2000 Watts, Cold 245 Watt (220 Volts)

W 435 mm x D 495 mm x H 1400 mm

1302



**High-Tech
Slim-Fit
COMPUTERIZED**

Semi-Automatic

All Water sterilized by boiling before dispensed.

1-60 hours Sleep-Mode Setting.

T.D.S. Reading.

Two-Stage Hot Water Temperature Preservation Setting.

Automatic Safety Check for leakage and malfunctions.

632

**High-Tech
Slim-Fit
COMPUTERIZED**

Semi-Automatic

All Water sterilized by boiling before dispensed.

1-60 hours Sleep-Mode Setting.

T.D.S. Reading.

Hot Water Safety Lock.

Two-Stage Hot Water Temperature Preservation Setting.

Automatic Safety Check for leakage and malfunctions.



1-60 hours
Sleep-Mode Setting



Step Inlet ensures
tap water is not mixed
with boiled water



Automatic Safety Check
for leakage and
malfunctions

In-Built Filtration System with two ACUO UF-10 Filters

Hot Tank 10L, Warm Tank 6L, Cold Tank 3.3L

Hot Tank 10L/hour, Cold Tank 7L/hour

Hot 1000 Watts, Cold 215 Watts

W 335 mm x D 520 mm x H 1325 mm

In-Built Filtration System with two ACUO UF-10 Filters

Hot Tank 7.5L, Warm Tank 2.5L, Cold Tank 1.1L

Hot Tank 8.5L/hour, Cold Tank 4L/hour

Hot 750 Watts, Cold 120 Watts

W 320 mm x D 450 mm x H 1250 mm



1-60 hours
Sleep-Mode Setting



Step Inlet ensures
tap water is not mixed
with boiled water



Automatic Safety Check
for leakage and
malfunctions

11000



**High-Tech
COMPUTERIZED
Fully Automatic**

All Water sterilized by boiling before dispensed. Step Inlet ensures tap water is not mixed with boiling water.

Complete User Safety Designs.

Hot Water Safety Lock.

Customized Energy Saving "Sleep-Mode".

Automatic Safety Check for leakage and malfunctions.

022HS

**High-Tech
Commercial
Water Boiler**

Micro-computer Step-inlet Design.

20G Large Volume Tank.

Durable Faucet.

Sleep Mode & Temperature Maintenance Setting.

Reboiler Function

Manual fill tank

Sleep mode setting



Step Inlet ensures tap water is not mixed with boiled water



Customized Energy Saving "Sleep-Mode"



Nano-Sputtered Films for superior quality

In-Built Filtration System with two ACUO UF-10 Filters

Hot Tank 22L, Warm Tank 7.8L, Cold Tank 4L

Hot Tank 20L/hour, Cold Tank 6L/hour

Hot 2000 Watts, Cold 245 Watts (220 Volts)

W 435 mm x D 490 mm x H 1380 mm

In-Built Filtration System with one ACUO UF-10 Filters

Hot Tank 20G

Hot Tank 40L/hour

Hot 4000 Watts

W 460 mm x D 450 mm x H 1360 mm



1-88 hours
Sleep-Mode Setting



Step Inlet ensures tap water is not mixed with boiled water



Automatic Safety Check for leakage and malfunctions

MODEL
2202

undercounter

HOT BOIL



MODEL

672

Counter Top

Hot , Warm , Cold



MODEL
6602


All in one counter Top _____ Built in Filters

- *Cold and Hot Water Temperature, Preservation Settings.
- *Overheating Protection Mechanism.
- *IR Detection for user interface.
- *304- Food grade Stainless Steel Tanks and Antibacterial Water Outlet.
- *Automatic Safety Check for leakage and malfunctions.



MODEL
3200 JBK

UVC LED_Under counter



Hot Tank 3.5L, Warm Tank 2L, Cold Tank 1.5L

Hot Tank 7.5L/hour, Cold Tank 3L/hour

Hot 750 Watts, Cold 145 Watts

W 310 mm x D 550 mm x H 510 mm

Voltage : 100v~240v/5W
Water pressure / Max. : 0.1-0.4Mpa / 0.7Mpa
Flow rate / Max. : 0.5L/min.to 2L/min.

Max capacity : 120000L

Pipe size : 2/8 inch

Water temp. : 5°~45°c

MODEL

310

For Coffee Machine
Softens water
Better Taste



W265 x D75 x H328 (mm)

1 STAGE : Block sediments and impurities Sand. Mud. Rust etc...

2 STAGE : Softens water through ion exchange, Soft-Free does not lower water pH.

3 STAGE : Get rid of color and odor. Absorbs chemical, heavy metals. NSF 42 Standards

MODEL

602-PP

Bacteria & Virus

99.9%

W290 x D120 x H270 (mm)

1 STAGE : Block sediments and impurities Sand. Mud. Rust etc...

2 STAGE : Multi Guard 3 in 1 filter.

- a. Electro adsorption capture sediment, heavy metals, bacteria and virus
- b. Silver lined Activated carbon absorb chloride, pesticides, prohibits virus growth
- c. NSF-401 Certified Block Active carbon.

Since
**19
54**

ACUO UNION 8000

Have been producing water dispensers since 1954[#] in Taiwan

Certifications

The Philippine Department of Health (Kagawaran ng Kalusugan) is the executive department of the Philippine government responsible for ensuring access to basic public health services by all Filipinos through the provision of quality health care and the regulation of all health services and products.



ISO 9001 is the internationally recognized standard for the quality management of businesses. It applies to the processes that create and control the products and services an organization supplies, and prescribes systematic control of activities to ensure that the needs and expectations of customers are met. ISO 9001 is designed and intended to apply to virtually any product or service, made by any process anywhere in the world.



NSF International is committed to protecting and improving human health on a global scale. NSF International is an independent, not-for-profit organization that provides standards development, product certification, auditing, education and risk management for public health and the environment.



The National Standards of the Republic of China administering Taiwan, Penghu, Quemoy and Matsu are titled the Chinese National Standards (CNS). They are administered by the Bureau of Standards, Metrology and Inspection of the Ministry of Economic Affairs.



The Green Mark is administrated by the Environmental Protection Administrations of TAIWAN. It was launched in 1992 in order to encourage companies to manufacture products that have less impact on the environment, reduces wastes and promotes recycling. In long term, the promotion of Green Mark's products aims to promote green consumerism among consumers to select recyclable, low-polluting, resource-saving products.



The Taiwan Excellence Awards is an award that is delivered by the Ministry of Economic Affairs (MOEA) and Taiwan External Trade Development Council (TAITRA) to encourage Taiwan industries to upgrade and incorporate innovation into their products.



Taiwan energy-saving label promotes the deployment of energy-efficient technologies and the application of market incentive mechanisms, and encourages manufacturers to invest in research and development of energy-efficient products.

